

Appendix A6. Poland disease reference list

Table 1.1 Data sources							
	Incidence	Prevalence	Survival	Mortality	Direct costs	Indirect costs	Utility weights
Diseases							
CHD	Lithuania proxy (pers comm Vilma Kriaucioniene)	Pers comm Zajenkowska-Kozłowska, Alicja	survival derived from mortality & prevalence	(World Health Organisation, 2008)	(Nichols et al., 2012, Polder et al., 2002)	(Nichols et al., 2012, Polder et al., 2002)	NL proxy (Vemer and Rutten-van Molken, 2010)
COPD	Lithuania proxy (pers comm Vilma Kriaucioniene)	Pers comm Zajenkowska-Kozłowska, Alicja	survival derived from mortality & prevalence	(World Health Organisation, 2008)	NL proxy (Suijkerbuijk et al., 2013)	UK proxy (Flack et al., 2007)	NL proxy (Vemer and Rutten-van Molken, 2010)
IFG/IGT	Estimated within the programme	(International Diabetes Federation, 2014)	N/A	N/A	NL proxy (Expert opinion by Dr. Hans van Hateren, GP with a special focus on diabetes (Hardenberg)	Assumption (zero)	Assumption (1.0)
Diabetes	Brown M method using Greece Proxy	(International Diabetes Federation, 2014)	N/A	N/A	(International Diabetes Federation, 2014)	NL proxy (International Diabetes Federation, 2014)	UK proxy(Sullivan et al., 2011))
Stroke	(Truelsen et al., 2006)	(Truelsen et al., 2006)	Derived from mortality and prevalence	(World Health Organisation, 2008)	(Nichols et al., 2012, Polder et al., 2002)	(Polder et al., 2002, Nichols et al., 2012)	(Ayis et al., 2015)
Hypertension	Derived from prevalence using single state transition	Pers comm Zajenkowska-Kozłowska, Alicja	N/A	n/a	NL proxy (Polder et al., 2002)	NL proxy (Nichols et al., 2012)	UK proxy (Sullivan et al., 2011)

Table. Relative risk references

	Relative risk: smoking	Relative risk: BMI
Diseases		
CHD	(A Dynamic Model for Health Impact Assessment (DYNAMO-HIA), 2015)	(Lobstein and Leach, 2010)
COPD	(A Dynamic Model for Health Impact Assessment (DYNAMO-HIA), 2015)	N/A
IGT	N/A	Estimated from Prevend (Jaccard A 2015)
Diabetes	N/A	Estimated from Prevend (Jaccard A 2015)
Stroke	(A Dynamic Model for Health Impact Assessment (DYNAMO-HIA), 2015)	(Lobstein and Leach, 2010)
Hypertension	Halperin 2008	

- A DYNAMIC MODEL FOR HEALTH IMPACT ASSESSMENT (DYNAMO-HIA). 2015. *United Kingdom vs2.0.6.zip* [Online]. National Institute for Public Health and the Environment. Available: <http://www.dynamo-hia.eu/> [Accessed 15/11/2014].
- AYIS, S., WELLWOOD, I., RUDD, A. G., MCKEVITT, C., PARKIN, D. & WOLFE, C. D. 2015. Variations in Health-Related Quality of Life (HRQoL) and survival 1 year after stroke: five European population-based registers. *BMJ Open*, 5, e007101.
- FLACK, S., TAYLOR, M. & TRUEMAN, P. 2007. Cost-Effectiveness of Interventions for Smoking Cessation Final Report. In: NICE (ed.). York: University of York.
- INTERNATIONAL DIABETES FEDERATION. 2014. *IDF Diabetes Atlas* [Online]. Available: https://www.idf.org/sites/default/files/Atlas-poster-2014_EN.pdf [Accessed 28/08/2015].
- LOBSTEIN, T. & LEACH, R. J. 2010. Workpackage 7: Overweight and Obesity Report on data collection for overweight and obesity prevalence and related relative risks. In: DYNAMO-HIA (ed.). International association for the study of obesity.
- NICHOLS, M., TOWNSEND, N., SCARBOROUGH, P., RAYNER, M., LEAL, J., LUENGO-FERNANDEZ, R. & GRAY, A. 2012. European cardiovascular disease statistics. In: LOGSTRUP, S. & O'KELLY, S. (eds.). Brussels and Sophia Antipolis: European Heart Network and European Society of Cardiology.
- POLDER, J., TAKKEN, J., MEERDING, W. J., KOMMER, G. J. & STOKX, L. J. 2002. *Cost of illness tool* [Online]. Bilthoven: National Institute for Health and Environment (RIVM). Available: <https://kostenvanziektentool.volksgezondheidszorg.info/tool/english/> 2015].
- SUIJKERBUIJK, A. W., DE WIT, G. A., WIJGA, A. H., HEIJMANS, M., HOOGENDOORN, M., RUTTEN-VAN MOLKEN, M., MAURITS, E. E., HOOGENVEEN, R. T. & FEENSTRA, T. L. 2013. [Societal costs of asthma, COPD and respiratory allergy]. *Ned Tijdschr Geneeskd*, 157, A6562.
- SULLIVAN, P. W., SLEJKO, J. F., SCULPHER, M. J. & GHUSHCHYAN, V. 2011. Catalogue of EQ-5D Scores for the United Kingdom. *Med Decis Making*, 31, 800-804.
- TAJIMA, R., KONDO, M., KAI, H., SAITO, C., OKADA, M., TAKAHASHI, H., DOI, M., TSURUOKA, S. & YAMAGATA, K. 2010. Measurement of health-related quality of life in patients with chronic kidney disease in Japan with EuroQol (EQ-5D). *Clin Exp Nephrol*, 14, 340-8.
- TRUELSEN, T., PIECHOWSKI-JOZWIAK, B., BONITA, R., MATHERS, C., BOGOUSSLAVSKY, J. & BOYSEN, G. 2006. Stroke incidence and prevalence in Europe: a review of available data. *Eur J Neurol*, 13, 581-98.
- VEMER, P. & RUTTEN-VAN MOLKEN, M. P. 2010. Crossing borders: factors affecting differences in cost-effectiveness of smoking cessation interventions between European countries. *Value Health*, 13, 230-41.
- WORLD HEALTH ORGANISATION. 2008. *Disease and injury country estimates* [Online]. Available: http://www.who.int/healthinfo/global_burden_disease/estimates_country/en/ 2015].